L5 ANSWER 1 OF 5 CAPLUS COPYRIGHT 2000 ACS ACCESSION NUMBER: 1998:398170 CAPLUS

DOCUMENT NUMBER: 129:64316

TITLE: Granular pesticidal composition

INVENTOR(S): Inoue, Masao; Ogawa, Masao; Nakamura, Hiroshi

PATENT ASSIGNEE(S): Sumitomo Chemical Co., Ltd., Japan

SOURCE: Eur. Pat. Appl., 13 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent LANGUAGE: English

INT. PATENT CLASSIF.:

MAIN: A01N025-26

CLASSIFICATION: 5-4 (Agrochemical Bioregulators)

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,

IE, SI, LT, LV, FI, RO

JP 10167904 A2 19980623 JP 1996-330699 19961211 PRIORITY APPLN. INFO.: JP 1996-330699 19961211

ABSTRACT:

This invention relates to a granular pesticidal compn.

coated with a thermosetting resin, such as a polyurethane.

Release of the pesticidal active ingredient is controlled by appropriately changing the kind and amt. of a thermosetting resin, depending on the use, and durability of effect of the pesticidal active ingredient is shown.

SUPPL. TERM: coated pesticide granule
INDEX TERM: Pesticide formulations

(coated granular pesticides

)

INDEX TERM: Polyurethanes, uses
Thermosetting plastics

ROLE: MOA (Modifier or additive use); USES (Uses)

(coating on granular pesticide)

INDEX TERM: Polyoxyalkylenes, uses

ROLE: MOA (Modifier or additive use); USES (Uses)

(polyol derivs., reaction products with tris(dimethylaminomethyl)phenol; coating on

granular pesticide)

INDEX TERM: 123572-88-3, Furametpyr

ROLE: AGR (Agricultural use); BIOL (Biological study); USES

(Uses)

(coated granular formulation of)

INDEX TERM: 90-72-2D, 2,4,6-Tris(dimethylaminomethyl)phenol, reaction

products with Polypropylene glycol polyol derivs.

25322-69-4D, Polypropylene glycol, polyol derivs., reaction

products with tris(dimethylaminomethyl)phenol ROLE: MOA (Modifier or additive use); USES (Uses)

(coating on granular pesticide)

ACCESSION NUMBER: 1998:360972 CAPLUS

129:67329 DOCUMENT NUMBER:

Controlled-release pesticide-containing TITLE:

fertilizer granules coated with

thermosetting resins

Nakamura, Hiroshi; Okada, Shoji; Imai, Masayoshi INVENTOR(S):

Sumitomo Chemical Co., Ltd., Japan PATENT ASSIGNEE(S):

SOURCE:

Jpn. Kokai Tokkyo Koho, 7 pp.

CODEN: JKXXAF

DOCUMENT TYPE:

Patent

LANGUAGE:

Japanese

INT. PATENT CLASSIF .:

C05G003-00

SECONDARY: CLASSIFICATION:

C05G003-02 19-6 (Fertilizers, Soils, and Plant Nutrition)

Section cross-reference(s): 5

FAMILY ACC. NUM. COUNT: 1

MAIN:

PATENT INFORMATION:

APPLICATION NO. DATE KIND DATE PATENT NO. ------____ _____ 19980609 JP 1996-306589 19961118 JP 10152387 A2

ABSTRACT:

Title granules are coated with materials mainly contg.

thermosetting resins. The granules may have an undercoat

layer contg. water-sol. substances or water-insol. or slightly sol. powders.

Granules contg. fertilizer and uniconazole P were coated with

aq. dispersion of Sanx P 201 and coated with a resin compn.

comprising Sumidur 44V10 45.2, Sumiphen TM 18.3, Sumiphen 1600U 35.6, Sumicure

D 2.0, and Sorpol 8043 1.2 parts. The coated granules were

poured into H2O to show 30, 74, 96, and 98% fertilizer release after 7, 14,

30,

and 90 days, resp.

fertilizer pesticide granule SUPPL. TERM:

thermosetting resin coating; polyurethane coating

fertilizer pesticide granule; controlled release fertilizer pesticide granule

INDEX TERM:

Anionic surfactants

Nonionic surfactants

(controlled-release pesticide-contg. fertilizer

granules coated with thermosetting resins)

INDEX TERM:

Polyurethanes, biological studies

Thermosetting plastics

ROLE: AGR (Agricultural use); BIOL (Biological study); USES

(Uses)

(controlled-release pesticide-contg. fertilizer

granules coated with thermosetting resins)

INDEX TERM:

Fertilizers

ROLE: AGR (Agricultural use); PEP (Physical, engineering or chemical process); BIOL (Biological study); PROC (Process);

USES (Uses)

(controlled-release **pesticide**-contg. fertilizer

granules coated with thermosetting resins)

INDEX TERM:

Agrochemical formulations

(controlled-release; controlled-release pesticide

-contq. fertilizer granules coated

with thermosetting resins)

INDEX TERM:

Clays, biological studies

ROLE: AGR (Agricultural use); BIOL (Biological study); USES

(Uses)

(pyrophyllitic; controlled-release pesticide

-contg. fertilizer granules coated with thermosetting resins)

12269-78-2, Pyrophyllite 83657-17-4, Uniconazole P

198131-56-5

ROLE: AGR (Agricultural use); BIOL (Biological study); USES

(Uses)

(controlled-release pesticide-contg. fertilizer

granules coated with thermosetting resins) 144377-93-5, Sorpol 8043

ROLE: AGR (Agricultural use); MOA (Modifier or additive

use); BIOL (Biological study); USES (Uses)
 (surfactant; controlled-release pesticide

-contg. fertilizer granules coated

with thermosetting resins)

INDEX TERM: 8061-52-7, Sanx P 201 104922-10-3, Gohsenol GL 05

ROLE: AGR (Agricultural use); BIOL (Biological study); USES

(Uses)

(undercoat; controlled-release pesticide-contg.

fertilizer granules coated with

thermosetting resins)

L5 ANSWER 3 OF 5 CAPLUS COPYRIGHT 2000 ACS ACCESSION NUMBER: 1997:664187 CAPLUS

DOCUMENT NUMBER: 127:345873

TITLE: Controlled-release fertilizer granules

having **pesticide**-containing coatings Nakamura, Hiroshi: Okada, Shoji

INVENTOR(S):

PATENT ASSIGNEE(S):

Sumitomo Chemical Co., Ltd., Japan
SOURCE:

Jpn. Kokai Tokkyo Koho, 7 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent LANGUAGE: Japanese

INT. PATENT CLASSIF.:

INDEX TERM:

INDEX TERM:

MAIN: C05G003-00

SECONDARY: A01N025-10; A01N025-12; A01N025-26; A01N025-30 CLASSIFICATION: 19-6 (Fertilizers, Soils, and Plant Nutrition)

Section cross-reference(s): 5

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO. KIND DATE APPLICATION NO. DATE

JP 09263475 A2 19971007 JP 1996-74475 19960328

ABSTRACT:

Title granules comprise fertilizers coated with

thermosetting resins contg. **pesticides** and optional anionic and/or nonionic surfactants. Urea **granules** (1 kg) were treated with 80 g resin compn. comprising Sumidur 44V10 45.2, Sumiphen TM 18.3, Sumiphen 1600U 36.6, Sumicure D 2.0, and polyoxyethylene nonylphenyl ether 1.2 parts and

1 g uniconazole P to prep. a **pesticide**-contg. fertilizer. It took 15 days for 80% release of the fertilizer, while 81% of the **pesticide** was released after 14 days.

SUPPL. TERM: fertilizer **pesticide** coating controlled release;

thermosetting resin coating fertilizer

pesticide; urea granule coating

polyurethane uniconazole; surfactant fertilizer

granule pesticide coating

INDEX TERM: Anionic surfactants

Coatings

Nonionic surfactants

(controlled-release fertilizer granules

coated with pesticide-contg.

```
thermosetting resins)
                   Polyether-polyurethanes
INDEX TERM:
                   ROLE: AGR (Agricultural use); SPN (Synthetic preparation);
                   BIOL (Biological study); PREP (Preparation); USES (Uses)
                      (controlled-release fertilizer granules
                    coated with pesticide-contg.
                    thermosetting resins)
INDEX TERM:
                   Fertilizers
                   ROLE: AGR (Agricultural use); PEP (Physical, engineering or
                   chemical process); BIOL (Biological study); PROC (Process);
                   USES (Uses)
                      (controlled-release; controlled-release fertilizer
                    granules coated with pesticide
                      -contg. thermosetting resins)
INDEX TERM:
                   57-13-6, Urea, biological studies 83657-17-4, Uniconazole
                   ROLE: AGR (Agricultural use); PEP (Physical, engineering or
                   chemical process); BIOL (Biological study); PROC (Process);
                   USES (Uses)
                      (controlled-release fertilizer granules
                    coated with pesticide-contg.
                    thermosetting resins)
INDEX TERM:
                   198131-56-5P
                   ROLE: AGR (Agricultural use); SPN (Synthetic preparation);
                  BIOL (Biological study); PREP (Preparation); USES (Uses)
                      (controlled-release fertilizer granules
                   coated with pesticide-contq.
                    thermosetting resins)
INDEX TERM:
                   9016-45-9, Polyoxyethylene nonylphenyl ether
                  ROLE: AGR (Agricultural use); BIOL (Biological study); USES
                      (surfactant; controlled-release fertilizer
                   granules coated with pesticide
                     -contg. thermosetting resins)
    ANSWER 4 OF 5 CAPLUS COPYRIGHT 2000 ACS
ACCESSION NUMBER: 1970:30748 CAPLUS
DOCUMENT NUMBER:
                       72:30748
TITLE:
                       Plural coated [fertilizer] pellet form
                        products
INVENTOR(S):
                        Kato, Haruhiro
PATENT ASSIGNEE(S):
                     Dai-Nippon Toryo K. K.
SOURCE:
                        U.S., 10 pp.
                        CODEN: USXXAM
DOCUMENT TYPE:
                        Patent
LANGUAGE:
                       English
INT. PATENT CLASSIF.: B44D
US PATENT CLASSIF.: 071064000
CLASSIFICATION:
                       20 (Fertilizers, Soils, and Plant Nutrition)
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:
     PATENT NO. KIND DATE
                                        APPLICATION NO. DATE
     -----
                                         -----
    US 3475154
                     A 19691028
                                        US 1965-510572 19651130
PRIORITY APPLN. INFO.:
                                         JP 1964-66982 19641130
ABSTRACT:
Low water soly, pellet products were prepd. by coating the pellets with
softened liqs. contq. thermoplastic resins (I) and thermosetting
resins (II); then the hot, soft pellets were covered with a powd. I or II,
whose particle size was smaller than that of the pellets. The
***coated*** , sepd. pellets were then immersed in a heated liq. contq. I or
waxes so that the powd. layer was melted or cured to form a uniform coating,
```

and simultaneously the 3rd layer made of the heated liq. was formed on the

coating. Finally the unsolidified, hot pellets were deposited onto a centrifugal rotary plate to dry and sep. Thus, to 500 g 25% BHC-pellets, 400 g α

of Petrosin No. 80 (a petroleu m resin in 75% xylene soln.) was added and completely mixed to coat the su rface of the pellets uniformly. Next 300 g coumarone resin (III) (m. 80-100.degree., 100-200 mesh) was admixed to coat each pellet; the resulting pellets were sepd. individually and recoated with III, and unreacted III was removed by passing through a sieve. The pellets were added to fused paraffin (IV) and the 2nd layer was melted. After further stirring, a IV layer formed on the surface of the pellets. Then the pellets were sepd. from the fused paraffin by filtration, spread on a centrifugal rotor

while still soft, and solidified on cooling; the co atings totalled 18.2%. The

coated pellets were satisfactory in rice field tests. Similar tri***coated*** pellets were made using various combinations of the above
ingredients and (or) polyol X-450 (a polyester resin), polyurethane resin,
Vinylite VYHH (acrylate-vinyl acetate copolymer), polyethylene, saran resin,
vinyl acetate-vinyl chloride resin, rosin, Elvax no. 250 (et hylene-vinyl
acetate copolymer), Acrose no. 1000 (acrylic nitrocellulose lacquer), alc.
phenolic resin, acrylonitrile-butadiene-styrene resin, styrene resin, styrene
copolymer resin, alkyd-nitrocellulose lacquer, an aq. MeOH-gelatin soln.,
paraffin, or fused mixts. of paraffin. Pelletized cryst. (NH4)2SO4 and
C6C15NO2 were also tested with good results. An upper coating limit of 33%
was

reached to give very gradually available, durable pellets. The elutriation rates and results of agricultural tests are given.

SUPPL. TERM: coated pellets agricultural; agricultural

coated pellets; pellets agricultural coated
; coumarone resin coated pellets; resin

coated pellets; granulated coated

fertilizers

INDEX TERM: Gelatin, compounds

ROLE: BIOL (Biological study)

(alkali contg., in coated pellets manuf.)

INDEX TERM: Pesticides

(coating of)

INDEX TERM: Plant hormones

ROLE: BIOL (Biological study)

(coating of)

INDEX TERM:

Rosin Waxes

Urethane polymers, uses and miscellaneous

ROLE: BIOL (Biological study)

(coating with, of fertilizers and pesticides)

INDEX TERM: Paraffins, uses and miscellaneous

ROLE: USES (Uses)

(coating with, of pellets)

INDEX TERM:

Fertilizers

ROLE: BIOL (Biological study)

(coatings for granulated)

INDEX TERM:

Coating materials (for fertilizers and pesticides)

INDEX TERM:

Resins

ROLE: BIOL (Biological study)

(petroleum, coating with Petrosin 80, of fertilizers and

pesticides)

INDEX TERM: Benzofuran, resins

ROLE: BIOL (Biological study) (coating with, of pellets)

INDEX TERM: 9003-56-9, uses and miscellaneous

ROLE: USES (Uses)

(coating with, of fertilizers and pesticides)

INDEX TERM: 58-89-9, uses and miscellaneous 9002-88-4, uses and

miscellaneous 9010-76-8, uses and miscellaneous 24937-78-8, uses and miscellaneous

24980-58-3, uses and miscellaneous

ROLE: USES (Uses)

(coating with, of pellets)

INDEX TERM:

614-90-4

ROLE: BIOL (Biological study)

(reaction products with 2-ethyl-2-(hydroxymethyl)-1,3-

propanediol, as coating for fertilizers and

pesticides)

INDEX TERM:

77-99-6

ROLE: BIOL (Biological study)

(reaction products with 2-methyl-p-phenylene isocyanate,

as coating for fertilizers and pesticides)

ANSWER 5 OF 5 CAPLUS COPYRIGHT 2000 ACS ACCESSION NUMBER: 1967:492198 CAPLUS

DOCUMENT NUMBER:

67:92198

TITLE: Electrostatic powder application

Barford, John C.; Dias, Peter F.; Glentworth, John D. INVENTOR(S): PATENT ASSIGNEE(S): Societe Anon. de Machines Electrostatiques (SAMES)

SOURCE:

U.S., 4 pp. CODEN: USXXAM

Patent DOCUMENT TYPE: LANGUAGE: English US PATENT CLASSIF.: 117017000

CLASSIFICATION: 47 (Apparatus and Plant Equipment)

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO. KIND DATE APPLICATION NO. DATE _____ -----US 3323933 19670606

PRIORITY APPLN. INFO.:

19620622 GB

ABSTRACT:

The object to be coated is positioned above the powder and held at ground potential so that an elec. field is set up between the rotors charged

a high neg. or pos. potential and the object. The coating powder is mech. dispersed by the rotors. The action of the rotors enables all of the powder

pass through the area of discharge at the edge of the rotor blades, so that

powder particles are charged as they are dispersed by the rotors. The charged powder is electrostatically attracted to the object to be ***coated*** . The charged powder is sufficiently adherent to allow the object to be handled and passed into an oven to fuse the powder coating to produce a continuous coating. The object to be coated should be a sufficiently good conductor to allow for grounding. Metals are particularly suitable, but other materials such as wood, asbestos, and fabrics, which contain enough moisture to form a satisfactory ground, may be coated with an electrostatically charged powder. Thermoplastics and ***thermosetting*** plastics, glass, ceramic material, and other powders

as adhesives, insecticides, and fungicides may be applied by this method.

ELECTROSTATIC POWDER COATINGS; POWDER COATINGS SUPPL. TERM:

> ELECTROSTATIC; COATINGS ELECTROSTATIC POWDER; THERMOPLASTIC ELECTROSTATIC POWDER COATING; GLASS ELECTROSTATIC POWDER COATING; PLASTICS ELECTROSTATIC POWDER COATING; CERAMICS

ELECTROSTATIC POWDER COATING

Powders INDEX TERM:

(coating with, electrostatic app. for)

INDEX TERM: Coating process => d scan 16

'SCAN' IS NOT VALID HERE DISPLAY SCAN is not allowed with an L# containing results from multiple files or from answer sets created by DUPLICATE, FOCUS, FSEARCH, FSORT or SORT.

=> d 16 iall 1-14

L6 ANSWER 1 OF 14 CAPLUS COPYRIGHT 2000 ACS ACCESSION NUMBER: 1998:398170 CAPLUS

DOCUMENT NUMBER: 129:64316

TITLE: Granular pesticidal composition

INVENTOR(S): Inoue, Masao; Ogawa, Masao; Nakamura, Hiroshi

PATENT ASSIGNEE(S): Sumitomo Chemical Co., Ltd., Japan

SOURCE: Eur. Pat. Appl., 13 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent LANGUAGE: English

INT. PATENT CLASSIF.:

MAIN: A01N025-26

CLASSIFICATION: 5-4 (Agrochemical Bioregulators)

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,

IE, SI, LT, LV, FI, RO

 JP 10167904
 A2
 19980623
 JP 1996-330699
 19961211

 PRIORITY APPLN. INFO.:
 JP 1996-330699
 19961211

ABSTRACT:

This invention relates to a granular pesticidal compn.

coated with a thermosetting resin, such as a polyurethane.

Release of the **pesticidal** active ingredient is controlled by

appropriately changing the kind and amt. of a thermosetting resin, depending on

the use, and durability of effect of the **pesticidal** active ingredient is shown.

SUPPL. TERM: coated pesticide granule INDEX TERM: Pesticide formulations

(coated granular pesticides

INDEX TERM: Polyurethanes, uses

Thermosetting plastics

ROLE: MOA (Modifier or additive use); USES (Uses)

(coating on granular pesticide)

INDEX TERM: Polyoxyalkylenes, uses

ROLE: MOA (Modifier or additive use); USES (Uses)

(polyol derivs., reaction products with tris(dimethylaminomethyl)phenol; coating on

granular pesticide)

INDEX TERM: 123572-88-3, Furametpyr

ROLE: AGR (Agricultural use); BIOL (Biological study); USES

(Uses)

(coated granular formulation of)

INDEX TERM: 90-72-2D, 2,4,6-Tris(dimethylaminomethyl)phenol, reaction

products with Polypropylene glycol polyol derivs.

25322-69-4D, Polypropylene glycol, polyol derivs., reaction

products with tris(dimethylaminomethyl)phenol ROLE: MOA (Modifier or additive use); USES (Uses) (coating on granular pesticide)

L6 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2000 ACS

ACCESSION NUMBER:

1998:360972 CAPLUS

DOCUMENT NUMBER:

129:67329

TITLE:

Controlled-release pesticide-containing

fertilizer granules coated with

thermosetting resins

INVENTOR(S):

Nakamura, Hiroshi; Okada, Shoji; Imai, Masayoshi

PATENT ASSIGNEE(S):

Sumitomo Chemical Co., Ltd., Japan Jpn. Kokai Tokkyo Koho, 7 pp.

SOURCE:

CODEN: JKXXAF

DOCUMENT TYPE:

Patent

LANGUAGE:

Japanese

INT. PATENT CLASSIF.:

SECONDARY:

MAIN: C05G003-00 NDARY: C05G003-02

CLASSIFICATION:

19-6 (Fertilizers, Soils, and Plant Nutrition)

Section cross-reference(s): 5

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO. KIND DATE APPLICATION NO. DATE

JP 10152387 A2 19980609 JP 1996-306589 19961118

ABSTRACT:

Title granules are coated with materials mainly contg. thermosetting resins. The granules may have an undercoat layer contg. water-sol. substances or water-insol. or slightly sol. powders. ***Granules*** contg. fertilizer and uniconazole P were coated with aq. dispersion of Sanx P 201 and coated with a resin compn. comprising Sumidur 44V10 45.2, Sumiphen TM 18.3, Sumiphen 1600U 35.6, Sumicure D 2.0, and Sorpol 8043 1.2 parts. The coated granules were poured into H2O to show 30, 74, 96, and 98% fertilizer release after 7, 14, 30, and 90 days, resp.

SUPPL. TERM:

fertilizer pesticide granule

thermosetting resin coating; polyurethane coating

fertilizer pesticide granule; controlled release fertilizer pesticide granule

INDEX TERM:

Anionic surfactants Nonionic surfactants

(controlled-release **pesticide**-contg. fertilizer

granules coated with thermosetting

resins)

INDEX TERM:

Polyurethanes, biological studies

Thermosetting plastics

ROLE: AGR (Agricultural use); BIOL (Biological study); USES

(controlled-release pesticide-contg. fertilizer

granules coated with thermosetting

resins)

INDEX TERM:

Fertilizers

ROLE: AGR (Agricultural use); PEP (Physical, engineering or chemical process); BIOL (Biological study); PROC (Process);

(controlled-release pesticide-contg. fertilizer

granules coated with thermosetting

resins)

INDEX TERM:

Agrochemical formulations

(controlled-release; controlled-release pesticide

-contg. fertilizer granules coated

with thermosetting resins)

INDEX TERM: Clays, biological studies

ROLE: AGR (Agricultural use); BIOL (Biological study); USES

(Uses)

(pyrophyllitic; controlled-release pesticide

-contg. fertilizer granules coated

with thermosetting resins)

INDEX TERM: 12269-78-2, Pyrophyllite 83657-17-4, Uniconazole P

12269-78-2, Pyrophylli 198131-56-5

ROLE: AGR (Agricultural use); BIOL (Biological study); USES

(Uses)

(controlled-release pesticide-contg. fertilizer

granules coated with thermosetting

resins)

INDEX TERM: 144377-93-5, Sorpol 8043

ROLE: AGR (Agricultural use); MOA (Modifier or additive

use); BIOL (Biological study); USES (Uses)
 (surfactant; controlled-release pesticide

-contg. fertilizer granules coated

with thermosetting resins)

INDEX TERM: 8061-52-7, Sanx P 201 104922-10-3, Gohsenol GL 05

ROLE: AGR (Agricultural use); BIOL (Biological study); USES

(Uses)

(undercoat; controlled-release pesticide-contg.

fertilizer granules coated with

thermosetting resins)

L6 ANSWER 3 OF 14 CAPLUS COPYRIGHT 2000 ACS ACCESSION NUMBER: 1997:664187 CAPLUS

DOCUMENT NUMBER: 127:345873

TITLE: Controlled-release fertilizer granules

having **pesticide**-containing coatings

INVENTOR(S): Nakamura, Hiroshi; Okada, Shoji PATENT ASSIGNEE(S): Sumitomo Chemical Co., Ltd., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 7 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent LANGUAGE: Japanese

INT. PATENT CLASSIF.:

MAIN: C05G003-00

SECONDARY: A01N025-10; A01N025-12; A01N025-26; A01N025-30 CLASSIFICATION: 19-6 (Fertilizers, Soils, and Plant Nutrition)

Section cross-reference(s): 5

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

ABSTRACT:

Title granules comprise fertilizers coated with thermosetting resins contg. pesticides and optional anionic and/or nonionic surfactants. Urea granules (1 kg) were treated with 80 g resin compn. comprising Sumidur 44V10 45.2, Sumiphen TM 18.3, Sumiphen 1600U 36.6, Sumicure D 2.0, and polyoxyethylene nonylphenyl ether 1.2 parts and 1 g uniconazole P to prep. a pesticide-contg. fertilizer. It took 15 days for 80% release of the fertilizer, while 81% of the pesticide was released after 14 days.

SUPPL. TERM: fertilizer **pesticide** coating controlled release;

thermosetting resin coating fertilizer pesticide;

urea granule coating polyurethane

uniconazole; surfactant fertilizer granule

pesticide coating

INDEX TERM: Anionic surfactants

```
Coatings
                   Nonionic surfactants
                      (controlled-release fertilizer granules
                    coated with pesticide-contg.
                      thermosetting resins)
                   Polyether-polyurethanes
INDEX TERM:
                   ROLE: AGR (Agricultural use); SPN (Synthetic preparation);
                   BIOL (Biological study); PREP (Preparation); USES (Uses)
                      (controlled-release fertilizer granules
                    coated with pesticide-contg.
                      thermosetting resins)
                   Fertilizers
INDEX TERM:
                   ROLE: AGR (Agricultural use); PEP (Physical, engineering or
                   chemical process); BIOL (Biological study); PROC (Process);
                   USES (Uses)
                      (controlled-release; controlled-release fertilizer
                    granules coated with pesticide
                      -contg. thermosetting resins)
                                                        83657-17-4, Uniconazole
                   57-13-6, Urea, biological studies
INDEX TERM:
                   ROLE: AGR (Agricultural use); PEP (Physical, engineering or
                   chemical process); BIOL (Biological study); PROC (Process);
                   USES (Uses)
                      (controlled-release fertilizer granules
                    coated with pesticide-contg.
                      thermosetting resins)
                   198131-56-5P
INDEX TERM:
                   ROLE: AGR (Agricultural use); SPN (Synthetic preparation);
                   BIOL (Biological study); PREP (Preparation); USES (Uses)
                      (controlled-release fertilizer granules
                    coated with pesticide-contg.
                      thermosetting resins)
                   9016-45-9, Polyoxyethylene nonylphenyl ether
INDEX TERM:
                   ROLE: AGR (Agricultural use); BIOL (Biological study); USES
                   (Uses)
                       (surfactant; controlled-release fertilizer
                    granules coated with pesticide
                      -contg. thermosetting resins)
     ANSWER 4 OF 14 CAPLUS COPYRIGHT 2000 ACS
L6
                         1996:746258 CAPLUS
ACCESSION NUMBER:
                         126:61099
DOCUMENT NUMBER:
                         Granular material- and polymeric
TITLE:
                         binder-containing porous coating material
                         compositions, and walls coated with the
                         materials
                         Sulzer, Hans-Dietrich
INVENTOR(S):
                         Switz.
PATENT ASSIGNEE(S):
                         Ger. Offen., 9 pp.
SOURCE:
                         CODEN: GWXXBX
                         Patent
DOCUMENT TYPE:
LANGUAGE:
                         German
INT. PATENT CLASSIF.:
                         C04B020-00
            MAIN:
                         C04B024-38; C04B014-06; C04B026-06; C04B022-06;
       SECONDARY:
                         C04B014-42; C08L001-22; B32B005-02; B32B018-00;
                         C09D133-04; C09D005-02; C09D007-02
                         C08L033-00; C08L075-04; C09D175-04; C09D007-12;
      ADDITIONAL:
                         C09D005-14; C09D005-18
                         C04B103-44
           INDEX:
                         38-3 (Plastics Fabrication and Uses)
CLASSIFICATION:
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:
```

DE 19614296	A1	19961031	DE 1996-19614296	19960411
СН 689510	A	19990531	СН 1996-918	19960410
FR 2733529	A1	19961031	FR 1996-5284	19960426
FR 2733529	В1	19990528		
			DD 1005 10515465	10050407

PRIORITY APPLN. INFO.:

DE 1995-19515465 19950427

ABSTRACT:

The compns. contain **granular** material contg. a fine major fraction having **particle** size tolerance .ltoreq.50% 65-98, binder solids 65-98, polysaccharide-type thickener .ltoreq.1, and fines <0.1 mm in the ***granular*** material .ltoreq.10 wt.%. The coating material is applied to a fibrous layer to form the wall for sound insulation. A mixt. consisting of powd. white marble (**particle** size 0.1-0.5, av. 0.3 mm) 850, acrylic resin dispersion (solids content .apprx.50 wt.%) 40, water 150, and xanthogenate 6 g was applied to a glass fiber felt to a thickness of .apprx.3 mm, and allowed to dry.

SUPPL. TERM: granular material polymeric binder coating; marble powder acrylic resin binder; sand marble alumina resin

binder; urethane polymer thickener acrylic resin;

Tylose xanthogenate thickener; dispersant cellulose fiber

ester coating

INDEX TERM: Acrylic polymers, uses

Polymers, uses

ROLE: TEM (Technical or engineered material use); USES

(Uses)

(binders; compns. for sound-insulating porous coating

formation contg. granular material and

thickener and)

INDEX TERM: Sound insulators

(coatings; granular material- and polymeric binder- and thickener-contg. compns. for porous sound-insulating coating formation on walls)

INDEX TERM: Electrostatic charge

(compns. for sound-insulating porous coating formation

contg. charged granular material and polymeric

binder and thickener)

INDEX TERM: Thickening agents

(compns. for sound-insulating porous coating formation

contg. granular material and polymeric binder

and)

INDEX TERM: Fireproofing agents

Fungicides Pesticides

(compns. for sound-insulating porous coating formation

contg. granular material and polymeric binder

and thickener and)

INDEX TERM: Glass fibers, uses

ROLE: TEM (Technical or engineered material use); USES

(Uses)

(compns. for sound-insulating porous coating formation

contg. granular material and polymeric binder

and thickener and)

INDEX TERM: Granular materials

(compns. for sound-insulating porous coating formation

contg. polymeric binder and thickener and)

INDEX TERM: Walls

(granular material- and polymeric binder- and

thickener-contg. compns. for porous sound-insulating

coating formation on)

INDEX TERM: Perlite

ROLE: TEM (Technical or engineered material use); USES

(Uses)

(granulated; compns. for sound-insulating

porous coating formation contg. polymeric binder and

thickener and)

INDEX TERM:

Marble

ROLE: TEM (Technical or engineered material use); USES

(Uses)

(powd.; compns. for sound-insulating porous coating formation contg. polymeric binder and thickener and)

INDEX TERM:

Coatings

(sound insulators; granular material- and

polymeric binder- and thickener-contg. compns. for

porous

sound-insulating coating formation on walls)

INDEX TERM:

Polysaccharides, uses

ROLE: TEM (Technical or engineered material use); USES

(Uses)

(thickeners; compns. for sound-insulating porous coating

formation contg. granular material and

polymeric binder and)

INDEX TERM:

13463-67-7, Titania, uses

ROLE: TEM (Technical or engineered material use); USES

(Uses)

(brightener; compns. for sound-insulating porous coating

formation contg. **granular** material and polymeric binder and thickener and)

INDEX TERM:

50-78-2, Acetylsalicylic acid

ROLE: MOA (Modifier or additive use); USES (Uses)

(compns. for sound-insulating porous coating formation

contg. granular material and polymeric binder

and thickener and)

INDEX TERM:

1344-28-1, Aluminum oxide (Al2O3), uses

ROLE: TEM (Technical or engineered material use); USES

(Uses)

(fireproofing agent; compns. for sound-insulating porous

coating formation contg. granular material and

polymeric binder and thickener and)

INDEX TERM:

14808-60-7, Quartz, uses

ROLE: TEM (Technical or engineered material use); USES

(Uses)

(powd.; compns. for sound-insulating porous coating

formation contg. polymeric binder and thickener and)

INDEX TERM:

9032-37-5, Cellulose xanthogenate

ROLE: TEM (Technical or engineered material use); USES

(Uses)

(thickener; compns. for sound-insulating porous coating

formation contg. granular material and

polymeric binder and)

INDEX TERM:

4741-30-4D, Dithiocarbonic acid, esters and salts

ROLE: TEM (Technical or engineered material use); USES

(Uses)

(thickeners; compns. for sound-insulating porous coating

formation contg. granular material and

polymeric binder and)

L6 ANSWER 5 OF 14 CAPLUS COPYRIGHT 2000 ACS

ACCESSION NUMBER:

1995:753575 CAPLUS

DOCUMENT NUMBER:

123:135868

TITLE:

Manufacture of agrochemical granules by

coating method

INVENTOR(S):

Suwa, Norihiro; Shio, Katsuji; Fukushin, Hiroyuki;

Nakao, Yoshinobu; Kasai, Yutaka; Yoshida, Tomoko;

Baba, Masanori

PATENT ASSIGNEE(S):

Nissan Chemical Ind Ltd, Japan Jpn. Kokai Tokkyo Koho, 9 pp.

CODEN: JKXXAF

DOCUMENT TYPE:

Patent

LANGUAGE:

SOURCE:

Japanese

INT. PATENT CLASSIF.:

A01N043-56 MAIN:

SECONDARY:

INDEX:

A01N025-12; A01N025-26

A01N043-56, A01N047-24

CLASSIFICATION:

5-1 (Agrochemical Bioregulators) Section cross-reference(s): 42

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO. KIND DATE APPLICATION NO. DATE _____ ____ _____ JP 1994-241446 19941005 JP 07149606 A2 19950613

PRIORITY APPLN. INFO.:

JP 1993-250372 19931006

ABSTRACT:

Inert powder is mixed with .gtoreq. 1 agrochem., and coated on ***granular*** carrier, using water-insol. thermoplastic resin [e.g. poly(vinyl acetate) and ethylene-vinyl acetate copolymer] suspended in water as

binder. This method requires less coating time and improves productivity as compared to the conventional coating method. The agrochem. may be 5-amino-1-(2,6-dichloro-4-trifluoromethylphenyl)-3-cyano-4trifluoromethanesulfinylpyrazole and/or Et N-[2,3-dihydro-2,2dimethylbenzofuran-7-yloxycarbonyl (methyl) aminothio]-N-isopropyl-.beta.alaninate. A no. of polymeric binders are claimed.

SUPPL. TERM:

agrochem granulation coating material

INDEX TERM:

Siloxanes and Silicones, uses

Urethane polymers, uses

ROLE: NUU (Nonbiological use, unclassified); USES (Uses)

(as binders in manuf. of agrochem. granules by

coating method)

INDEX TERM:

Coating materials

(in manuf. of agrochem. granules by coating

method)

INDEX TERM:

Pesticides

(manuf. of agrochem. granules by coating

method)

INDEX TERM:

Fatty acids, uses

ROLE: NUU (Nonbiological use, unclassified); USES (Uses)

(branched, vinyl esters, copolymer with vinyl acetate;

as

binder in manuf. of agrochem. granules by

coating method)

74-85-1D, Ethene, polymers with acrylates 79-10-7D, INDEX TERM:

2-Propenoic acid, esters, polymers 100-42-5D, polymers with acrylates 108-05-4D, Acetic acid ethenyl ester, copolymer with vinyl versatic acid 9003-20-7, Vinyl acetate polymer 24937-78-8 25085-46-5, Ethylene-vinyl

acetate-vinyl chloride copolymer

ROLE: NUU (Nonbiological use, unclassified); USES (Uses)

(as binder in manuf. of agrochem. granules by

coating method)

9003-54-7, Acrylonitrile-styrene copolymer INDEX TERM:

ROLE: NUU (Nonbiological use, unclassified); USES (Uses)

(as binders in manuf. of agrochem. granules by

coating method)

INDEX TERM:

120068-37-3 82560-54-1

ROLE: BAC (Biological activity or effector, except

adverse);

BIOL (Biological study)

(manuf. of agrochem. granules by coating

method)

ANSWER 6 OF 14 CAPLUS COPYRIGHT 2000 ACS ACCESSION NUMBER: 1994:84968 CAPLUS

120:84968 DOCUMENT NUMBER:

Strategies for the simultaneous collection of vapors TITLE:

and aerosols with emphasis on isocyanate

sampling

Streicher, R. P.; Kennedy, E. R.; Lorberau, C. D. AUTHOR(S):

Cent. Dis. Control Prevent., US Dep. Health and Hum. CORPORATE SOURCE:

Serv., Cincinnati, OH, 45226, USA Analyst (Cambridge, U. K.) (1994), 119(1), 89-97 SOURCE:

CODEN: ANALAO; ISSN: 0003-2654

Journal; General Review DOCUMENT TYPE:

LANGUAGE: English

59-0 (Air Pollution and Industrial Hygiene) CLASSIFICATION:

Section cross-reference(s): 79

ABSTRACT:

A review, with 65 refs., is given. Collection of vapor mols. relies on their diffusion to a surface during their residence time in a sampler. Aerosol ***particles*** are most frequently collected by filtration or inertial impaction. If it is necessary to collect both phases simultaneously, a

sampler

with 2 stages is generally required. A no. of recent projects at the National Institute for Occupational Safety and Health have dealt with development of sampling and anal. methods for compds. present in workplace air as vapor and aerosol particles. One strategy invoked in several instances consisted of a filter for particle collection followed by an appropriate 2nd stage for vapor collection. For organophosphorus ***pesticides*** , the 2nd stage was a sorbent tube. For gaseous HF, it was an alk.-impregnated back-up pad. For HCHO, the second stage was an impinger contg. an aq. soln. of Na hydrogensulfite. Isocyanate aerosol cannot be collected on a filter because the isocyanates can be lost through reaction with other compds. present in the aerosol particle or simultaneously collected on the filter. It is necessary to derivatize the isocyanate species rapidly on collection. Filters and sorbents impregnated with derivatizing reagent as well as impingers and bubblers contg. solns. of derivatizing reagent have been used for the collection of isocyanate aerosol. Neither filters nor impingers appear to adequately sample for the entire range of isocyanate aerosol likely to be encountered in the workplace. The combination of an impinger followed by a reagent-coated filter should satisfactorily collect isocyanate aerosols and vapors.

review vapor aerosol analysis workplace air; SUPPL. TERM:

isocyanate sampling workplace air review

INDEX TERM: Aerosols

Fumes

(detn. of, sampling in, of workplace air, strategies

for)

Sampling INDEX TERM:

(of vapors and aerosols, in workplace air, strategies

for)

Air analysis INDEX TERM:

(vapors and aerosols simultaneous sampling in workplace,

strategies for)

661-20-1, Isocyanate INDEX TERM:

ROLE: ANT (Analyte); ANST (Analytical study)

(detn. of, sampling in, of workplace air, strategies

for)

ANSWER 7 OF 14 CAPLUS COPYRIGHT 2000 ACS L6

1992:17204 CAPLUS ACCESSION NUMBER:

116:17204 DOCUMENT NUMBER:

Polymer-coated controlled-release TITLE:

pesticides granules Tocker, Stanley

INVENTOR(S): PATENT ASSIGNEE(S):

du Pont de Nemours, E. I., and Co., USA

PCT Int. Appl., 18 pp. SOURCE:

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: English

INT. PATENT CLASSIF.:

MAIN: A01N025-26

INDEX: A01N025-26, A01N025-12

CLASSIFICATION: 5-4 (Agrochemical Bioregulators)

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

APPLICATION NO. DATE KIND DATE PATENT NO. WO 9110362 A1 19910725 _____ WO 1991-US15 19910108 W: AU, CA, JP, KR, SU, US RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LU, NL, SE AA 19910713 CA 1991-2073689 19910108 CA 2073689 AU 1991-71750 19910108 19910805 AU 9171750 A1 A1 19921119 EP 1991-901981 19910108 EP 513027 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE JP 05503697 T2 19930617 JP 1991-502957 19910108 19910111 ZA 1991-237 19920930 ZA 9100237 A US 1990-464434 19900112 PRIORITY APPLN. INFO.:

ABSTRACT:

A granular carrier contg. a pesticide, and a di- or polyhydroxylated compd. or water is coated with a liq. polyisocyanate and a polymn. catalyst, optionally at elevated temps., resulting in interfacial

polymn. to a solid cross-linked **polyurethane** or polyurea barrier. ***Granules*** (9 g) contg. 60% bensulfuron were mixed with 0.3 g propylene glycol and with a soln. of 0.01 g dibutyltin dilaurate in 1 g PAPI 901, to give, after 30 min, a **polyurethane-coated** formulation.

SUPPL. TERM: pesticide granule polyurethane

polyurea coated

INDEX TERM:

Polyureas

Urethane polymers, biological studies

ROLE: BIOL (Biological study)

(coating, for sustained-release pesticide

granules)
Pesticides

INDEX TERM:

(controlled-release, polyurethane- or polyurea-

WO 1991-US15

19910108

coated granules)

INDEX TERM:

 $9040-19-\bar{1}$ 57214-05-8

ROLE: BIOL (Biological study)

(coating, for sustained-release pesticide

granules)

INDEX TERM:

314-40-9, Bromacil 330-54-1 54593-83-8 99283-01-9,

Bensulfuron

ROLE: BIOL (Biological study)

(controlled-release granules contg.,

polyurethane- or polyurea-coated)

L6 ANSWER 8 OF 14 CAPLUS COPYRIGHT 2000 ACS

ACCESSION NUMBER:

1991:138059 CAPLUS

DOCUMENT NUMBER:

114:138059

TITLE:

Granular formation of liquid

pesticides

INVENTOR(S):

Antfang, Elmar; Kerimis, Dimitrios; Singer, Rolf

Juergen

PATENT ASSIGNEE(S):

Bayer A.-G., Fed. Rep. Ger.

SOURCE:

Eur. Pat. Appl., 6 pp.

CODEN: EPXXDW

DOCUMENT TYPE: LANGUAGE: Patent German

INT. PATENT CLASSIF.:

MAIN: A01N025-10

CLASSIFICATION: 5-4 (Agrochemical Bioregulators)

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATEN	IT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 37	79868	A2	19900801	EP 1990-100191	19900105
EP 37	79868	A3	19920401		
EP 37	79868	B1	19931208		
F	R: BE, C	H, DE, DK	, ES, FR, GB,	IT, LI, NL	
AU 90)47651 [°]	A1	19900726	AU 1990-47651	19900104
AU 61	18654	B2	19920102		
US 50	047243	A	19910910	US 1990-461208	19900105
ES 20	59836	Т3	19941116	ES 1990-100191	19900105
JP 02	2282303	A2	19901119	JP 1990-3692	19900112
ZA 90	000322	A	19901031	ZA 1990-322	19900117
PRIORITY F	APPLN. IN	FO.:		DE 1989-3901273	19890118

ABSTRACT:

Liq. pesticides are coated to the surface of nonabsorbend ***granular*** carriers using polyurethane binders, optionally contg. other polymers. The resulting granules are abrasion resistant. Quartz sand (51.37 kg) was coated with 0.192 kg of an aq. dispersion contg. 0.077 kg polyurethane, followed by application of 0.577 liq. organophoshorus pesticide mixed with 0.578 kg highly-dispersed SiO2. A further coat was applied, consisting of the above mixt. and 0.22 polyurethane dispersion. The granules were dried at .ltoreq.60.degree.. The polyurethane was prepd. from adipic acid and n-butanediol-n-hexanediol, by reaction with isocyanate.

SUPPL. TERM: pesticide granule nonabsorbent

INDEX TERM: Urethane polymers, biological studies

ROLE: BIOL (Biological study)

(binder, for pesticide granules)

INDEX TERM: Sand

ROLE: BIOL (Biological study)

(carrier, for granular pesticide

formulations)

INDEX TERM: Pesticides

(formulation of, granular)

INDEX TERM: Vinyl compounds, polymers

ROLE: BIOL (Biological study)

(polymers, esters, polyurethane binder contg.,

for pesticide granules)

TNDEX TERM: 96182-53-5

ROLE: PROC (Process)

(formulation of, granular)

INDEX TERM: 79-10-7, 2-Propenoic acid, biological studies 79-10-7D,

Acrylic acid, esters, polymers 100-42-5, biological studies 108-05-4D, Acetic acid ethenyl ester, esters 9002-89-5, Poly(vinyl alcohol) 9003-20-7, Poly(vinyl acetate) 9003-39-8, Poly(vinyl pyrrolidone) 24937-78-8

25035-90-9 25085-46-5 25214-15-7

ROLE: BIOL (Biological study)

(polyurethane binder contg., for

pesticide granules)

INDEX TERM: '7631-86-9

ROLE: BIOL (Biological study)

(sand, carrier, for granular pesticide

formulations)

112:72343

L6 ANSWER 9 OF 14 CAPLUS COPYRIGHT 2000 ACS

ACCESSION NUMBER:

1990:72343 CAPLUS

DOCUMENT NUMBER:

Pesticide-coated granules

TITLE:

as sustained-release formulations.

INVENTOR(S):

Hirabayashi, Yoshinori; Goto, Minoru; Sakamoto, Akira

Kumiai Chemical Industry Co., Ltd., Japan

PATENT ASSIGNEE(S): SOURCE:

Jpn. Kokai Tokkyo Koho, 8 pp.

CODEN: JKXXAF

DOCUMENT TYPE:

Patent Japanese

LANGUAGE:

INT. PATENT CLASSIF.:

MAIN:

A01N025-12

CLASSIFICATION:

5-6 (Agrochemical Bioregulators)

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

APPLICATION NO. DATE KIND DATE PATENT NO. _____ ----_____ JP 1987-213623 19870827 JP 01056601 A2 19890303

19960228 JP 08018925 В4

ABSTRACT:

A pesticidal compn. is prepd. by coating carrier granules with an aq. soln. contg. an isocyanate compd. and a polymer (av. mol. wt. .gtoreq. 10,000), followed by a pesticide. The pesticide is firmly bound to the carrier. It is applied in the field without loss by drifting, and is released from the carrier in a controlled manner. Thus, 93 parts silica sand (16-42 mesh) was mixed with 1 part 20 % aq. poly(vinyl alc.) soln., followed by 1 part PAPI and 5 parts bendiocarb to give ***insecticide*** -coated granules.

pesticide isocyanate polymer SUPPL. TERM:

coated granule; sustained release

pesticide granule

INDEX TERM:

Pesticides

(controlled-release, granules, coated

1563-66-2, Carbofuran 2631-40-5, MIPC 22781-23-3, INDEX TERM:

Bendiocarb 58011-68-0, Pyrazolate

ROLE: AGR (Agricultural use); BAC (Biological activity or effector, except adverse); BIOL (Biological study); USES

(Uses)

(insecticide, granules coated

with)

41814-78-2, Tricyclazole INDEX TERM:

ROLE: BIOL (Biological study)

(microbicide, granules coated with)

101-68-8, Diphenylmethane-4,4'-diisocyanate 822-06-0, INDEX TERM:

9016-87-9, PAPI 7373-26-4 Hexamethylene diisocyanate

ROLE: BIOL (Biological study)

(pesticide contg., controlled-release)

9002-89-5, Poly(vinyl alcohol) 9000-01-5, Gum arabic INDEX TERM:

9004-32-4, Carboxymethyl cellulose ROLE: BIOL (Biological study)

(pesticide granules coating with)

ANSWER 10 OF 14 CAPLUS COPYRIGHT 2000 ACS

1987:555948 CAPLUS ACCESSION NUMBER:

107:155948

DOCUMENT NUMBER:

Particles containing releasable fill TITLE: material and method of making same

Matkan, Josef; Treleaven, Richard J.

PATENT ASSIGNEE(S):

Minnesota Mining and Mfg. Co., USA U.S., 6 pp.

SOURCE:

CODEN: USXXAM

DOCUMENT TYPE:

INVENTOR(S):

Patent

LANGUAGE:

English

INT. PATENT CLASSIF.:

MAIN:

A01N025-28

SECONDARY: B01J013-02; C08G018-82

US PATENT CLASSIF.: 428402210

CLASSIFICATION: 38-3 (Plastics Fabrication and Uses)

Section cross-reference(s): 37

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO. KIND DATE APPLICATION NO. DATE
US 4681806 A 19870721 US 1986-829005 19860213

ABSTRACT:

A mixt. of a releasable fill material, an isocyanate, and a matrix-forming co-reactant is emulsified in an aq. medium to give spherical droplets, and the isocyanate at the surfaces of the droplets hydrolyzes to give a continuous polyurea layer while the isocyanate within the droplets hydrolyzes and reacts with the co-reactant to form a polyurea matrix, giving particles which retain the fill material during storage and release the fill material in a controlled manner when the polyurea surface is broken. Suitable fill materials are insecticides , herbicides, perfume oils, dye precursors for manifold copying, adhesives, etc. A soln. comprising crystal violet lactone 2.5, benzoyl leucomethylene blue 0.5, di-Bu phthalate 80, and safflower oil 20 g was mixed with 33 g PAPI (NCO content 31.3%), and the mixt. was emulsified in 5 L H2O contg. 100 g maleic anhydride-styrene copolymer Na salt to give ***particles*** having diam. 1-10 .mu.. The emulsion was stirred 3 h, and the microspheres were sepd. by filtration, dispersed in 1 L 1% aq. poly(vinyl alc.) soln. and coated on paper to form a back coating suitable for pressure manifold copying against an acidic front coating.

SUPPL. TERM: isocyanate encapsulation fill material; polyurea

encapsulation fill material; dye encapsulation copying

paper; insecticide encapsulation polyurea; herbicide encapsulation polyurea; perfume

encapsulation polyurea; adhesive encapsulation polyurea;

microsphere polyurea encapsulation

INDEX TERM: Encapsulation

(by polyureas, of releasable fill materials)

INDEX TERM: Polyureas

ROLE: USES (Uses)

(encapsulation by, of releasable fill materials)

INDEX TERM: Adhesives

Dyes

Fungicides and Fungistats

Herbicides Insecticides

Perfumes and Essences

(encapsulation of, by polyureas, for controlled release)

INDEX TERM: Polymerization

(of isocyanate in encapsulation of releasable

fill materials)

INDEX TERM: Saf:

Safflower oil

Tung oil

ROLE: USES (Uses)

(polymers with isocyanates, for encapsulation of

releasable fill materials)

INDEX TERM: 9016-87-9D, PAPI, polyurea derivs.

ROLE: USES (Uses)

(encapsulation by, of releasable fill materials)

L6 ANSWER 11 OF 14 CAPLUS COPYRIGHT 2000 ACS

ACCESSION NUMBER:

1985:162203 CAPLUS

DOCUMENT NUMBER:

102:162203

TITLE:

Granular agrochemical composition

PATENT ASSIGNEE(S):

Kumiai Chemical Industry Co., Ltd., Japan

SOURCE:

Jpn. Kokai Tokkyo Koho, 9 pp.

CODEN: JKXXAF

DOCUMENT TYPE:

LANGUAGE:

Patent Japanese

INT. PATENT CLASSIF.: A01N025-26

CLASSIFICATION:

5-6 (Agrochemical Bioregulators)

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO. KIND DATE APPLICATION NO. DATE

JP 59206302 A2 19841122 JP 1983-82302 19830511 B4 19890125 JP 01004484

ABSTRACT:

Granular carriers are coated with a compn. contg.

agrochems., org. isocyanates, and nonionic surfactants. The product is free from caking and peeling of the active ingredient-contg. coat. Thus, CaCO3 ***granules*** (16-32 mesh) 93.4, water 0.3, and polypropylene glycol (mol. wt. 1000) 0.4 parts were mixed. The granules were then ***coated*** with a surfactant compn. contg. moieties of diphenylmethane-4,4'-

diisocyanate and diphenylmethane-4-isocyanate (92:8) 0.9, naproanilide [52570-16-8] 2, CNP [1836-77-7] 1, Na ligninsulfonate [8061-51-6] 1, and color 1 parts.

SUPPL. TERM:

agrochem granule coating isocyanate

INDEX TERM:

Agrochemicals Pesticides

(controlled-release, granules, isocyanate coating materials for)

INDEX TERM:

822-06-0 1823-37-6

ROLE: BIOL (Biological study)

(as controlled release agrochem. coating agent)

INDEX TERM:

95973-37-8

ROLE: BIOL (Biological study)

(as controlled-release agrochem. coating agent)

INDEX TERM:

91-08-7D, derivs. 101-68-8D, derivs. 584-84-9D, derivs. 822-06-0D, derivs. 1823-37-6D, derivs. 2761-22-0D, derivs. 7373-26-4D, derivs. 8061-51-6

ROLE: BIOL (Biological study)

(as controlled-release agrochem. coating material) 333-41-5 1836-77-7 6585-53-1 16752-77-5 22248-79-9

INDEX TERM:

22781-23-3 41814-78-2 52570-16-8

ROLE: BIOL (Biological study)

(granules coated with compn. contg., as controlled-release pesticide)

L6 ANSWER 12 OF 14 CAPLUS COPYRIGHT 2000 ACS

ACCESSION NUMBER: 1983:553878 CAPLUS

DOCUMENT NUMBER:

99:153878

TITLE:

Insecticide-coated fertilizer

INVENTOR(S):

Wright, John Francis

PATENT ASSIGNEE(S): SOURCE:

FMC Corp. , USA Pat. Specif. (Aust.), 18 pp.

CODEN: ALXXAP

DOCUMENT TYPE:

Patent English

LANGUAGE: INT. PATENT CLASSIF.:

A01N047-18

CLASSIFICATION:

5-4 (Agrochemical Bioregulators)

Section cross-reference(s): 19

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

KIND DATE APPLICATION NO. DATE PATENT NO. _____ ______ B2 19830414 AU 1981-76123 19811007 AU 528086

ABSTRACT:

Compns. comprised of a granular core contg. at least 1 part nutrient, a water-sol. org. polymer film coating, and at least 1 pesticide

dispersed in the polymer film are pesticide-fertilizer

granules . Thus, in a 2-qt jar were placed 255.6 g of urea fertilizer prills (8-20 mesh) and a soln. of 1.8 g of a benzylic ether phenolic resin and 0.009 g of pyridine as catalyst in 5.7 g of CH2Cl2. The mixt. was shaken for 30 s with subsequent addn. of 1.8 g of arom. polyisocyanate in 5.7 g CH2Cl2. Following a 2nd 30-s agitation, a mixt. of carbofuran [1563-66-2] 4.8 and kaolin clay 24.6 g was added and the contents shaken together for 60 s. compn. was cured and screened to 20 mesh to provide uniformly coated ***granules*** . Similar formulations comprised of 1 and 2% by wt.

carbofuran on urea prills at rates of 0.5 and 1.0 kg active ingredient per ha effectively controlled whorl maggots following application to newly-transplanted rice seedlings.

insecticide fertilizer granule; SUPPL. TERM:

pesticide fertilizer granule

INDEX TERM: Insecticides

Pesticides

(fertilizer granules coated with)

Urethane polymers, uses and miscellaneous INDEX TERM:

ROLE: USES (Uses)

(in fertilizer-pesticide granule

manuf.)

Fertilizers INDEX TERM:

ROLE: BIOL (Biological study)

(urea, pesticide-coated)

INDEX TERM:

1563-66-2

ROLE: BIOL (Biological study)

(fertilizer granules coated with)

ANSWER 13 OF 14 CAPLUS COPYRIGHT 2000 ACS Ь6

ACCESSION NUMBER: 1983:73501 CAPLUS

DOCUMENT NUMBER: 98:73501 Laminate TITLE:

King, David Alan; Bird, Donald INVENTOR(S):

Caligen Foam Ltd., UK PATENT ASSIGNEE(S):

Brit. UK Pat. Appl., 8 pp. SOURCE:

CODEN: BAXXDU

DOCUMENT TYPE: Patent

English LANGUAGE:

B32B005-16; B32B005-18 INT. PATENT CLASSIF.:

38-2 (Plastics Fabrication and Uses) CLASSIFICATION:

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
GB 2098541	A	19821124	GB 1981-15271	19810519

ABSTRACT:

Active solid particles are uniformly dispersed in a convenient form by laminating them between fused layers of flexible sheet material, one or both

of which are preferably open-celled foamed plastics. The solid may be a

softener, insecticide, pesticide, fungicide, fertilizer,

drying agent, adsorption medium, weldable material, or air freshening compn. Thus, Anthrasorb CC220 activated carbon granules (BS200 mesh) were scattered from a vibrating conveyor onto a continuous sheet of polyesterfoam 3.0 mm thick (d. 26 kg/m3, 22 cells/cm) moving at 34 ***polyurethane*** m/min, to give carbon coating d. 36 g/m2. The coated sheet was fed to a flame laminating machine where the lower surface of a similar foam sheet was melted and pressed onto it by nip rollers with a 1.25 mm gap, forming a

laminate with adhesion 145 g/cm.

granular solid plastic foam laminate; cellular SUPPL. TERM:

polyurethane laminate granular solid

Adsorbents INDEX TERM:

Fungicides and Fungistats

(dispersion of, between laminated sheets of cellular

plastics)

INDEX TERM:

Fertilizers ROLE: PROC (Process)

(dispersion of, between laminated sheets of cellular

plastics)

INDEX TERM:

Softening agents

(for textiles, dispersion of, between laminated sheets

οf

cellular plastics)

INDEX TERM:

Lamination

(of granular solids between cellular polyester-

urethane sheets)

INDEX TERM:

Dispersion

(of solids, in laminated cellular plastic sheets)

Adhesives INDEX TERM:

(hot-melt, for textiles, dispersion of, between

laminated

sheets of cellular plastics)

INDEX TERM:

Urethane polymers, uses and miscellaneous

ROLE: TEM (Technical or engineered material use); USES

(Uses)

(polyester-, cellular, laminated sheets, contg.

dispersed

granular solids)

INDEX TERM:

Polyesters, uses and miscellaneous

ROLE: TEM (Technical or engineered material use); USES

(Uses)

(polyurethane-, cellular, laminated sheets,

contg. dispersed granular solids)

INDEX TERM:

9003-22-9

ROLE: TEM (Technical or engineered material use); USES

(Uses)

(adhesives, hot-melt, for textiles, plastic foam sheets

contg.)

INDEX TERM:

7757-79-1, uses and miscellaneous

ROLE: USES (Uses)

(fertilizers contg., dispersed in laminated plastic foam

sheets)

ANSWER 14 OF 14 CAPLUS COPYRIGHT 2000 ACS

ACCESSION NUMBER:

1970:30748 CAPLUS

DOCUMENT NUMBER:

72:30748

TITLE:

Plural coated [fertilizer] pellet form

products

INVENTOR(S):

Kato, Haruhiro

PATENT ASSIGNEE(S):

Dai-Nippon Toryo K. K.

SOURCE:

U.S., 10 pp. CODEN: USXXAM

DOCUMENT TYPE:

Patent

LANGUAGE:

English

INT. PATENT CLASSIF.: B44D

US PATENT CLASSIF.: 071064000

CLASSIFICATION:

20 (Fertilizers, Soils, and Plant Nutrition)

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.

KIND DATE

APPLICATION NO. DATE

US 3475154 A 19691028 US 1965-510572 19651130 PRIORITY APPLN. INFO.: JP 1964-66982 19641130

ABSTRACT:

Low water soly. pellet products were prepd. by coating the pellets with heated,

softened liqs. contg. thermoplastic resins (I) and thermosetting resins (II); then the hot, soft pellets were covered with a powd. I or II, whose ***particle*** size was smaller than that of the pellets. The coated, sepd. pellets were then immersed in a heated liq. contg. I or waxes so that the powd. layer was melted or cured to form a uniform coating, and simultaneously the 3rd layer made of the heated liq. was formed on the

coating. Finally the unsolidified, hot pellets were deposited onto a centrifugal rotary plate to dry and sep. Thus, to 500 g 25% BHC-pellets, 400 g of Petrosin No. 80

(a petroleu m resin in 75% xylene soln.) was added and completely mixed to

coat the su rface of the pellets uniformly. Next 300 g coumarone resin (III) (m. 80-100.degree., 100-200 mesh) was admixed to coat each pellet; the resulting pellets were sepd. individually and recoated with III, and unreacted III was removed by passing through a sieve. The pellets were added to fused paraffin (IV) and the 2nd layer was melted. After further stirring, a IV layer formed on the surface of the pellets. Then the pellets were sepd. from the fused paraffin by filtration, spread on a centrifugal rotor while still soft, and solidified on cooling; the co atings totalled 18.2%. The coated pellets were satisfactory in rice field tests. Similar tri-coated pellets were made using various combinations of the above ingredients and (or) polyol X-450 (a polyester resin), polyurethane resin, Vinylite VYHH (acrylate-vinyl acetate copolymer), polyethylene, saran resin, vinyl acetate-vinyl chloride resin, rosin, Elvax no. 250 (et hylene-vinyl acetate copolymer), Acrose no. 1000 (acrplic nitrocellulose lacquer), alc. phenolic resin, acrylonitrile-butadiene-styrene resin, styrene resin, styrene copolymer resin, alkyd-nitrocellulose lacquer, an aq. MeOH-gelatin soln., paraffin, or fused mixts. of paraffin. Pelletized cryst. (NH4)2SO4 and C6C15NO2 were also tested with good results. An upper coating limit of 33% was reached to give very gradually available, durable pellets. The elutriation rates and results of agricultural tests are given.

SUPPL. TERM: coated pellets agricultural; agricultural coated pellets; pellets agricultural coated ; coumarone resin coated pellets; resin

coated pellets; granulated coated

fertilizers

INDEX TERM: Gelatin, compounds

ROLE: BIOL (Biological study)

(alkali contg., in coated pellets manuf.)

INDEX TERM: Pesticides

(coating of)

INDEX TERM: Plant hormones

ROLE: BIOL (Biological study)

(coating of)

INDEX TERM: Rosin

Waxes

Urethane polymers, uses and miscellaneous

ROLE: BIOL (Biological study)

(coating with, of fertilizers and pesticides)

INDEX TERM: Paraffins, uses and miscellaneous

ROLE: USES (Uses)

(coating with, of pellets)

INDEX TERM: Fertilizers

ROLE: BIOL (Biological study) (coatings for granulated)

INDEX TERM: Coating materials

(for fertilizers and pesticides)

INDEX TERM: Resins

ROLE: BIOL (Biological study) (petroleum, coating with Petrosin 80, of fertilizers and pesticides) Benzofuran, resins ROLE: BIOL (Biological study) (coating with, of pellets) 9003-56-9, uses and miscellaneous ROLE: USES (Uses) (coating with, of fertilizers and pesticides) 58-89-9, uses and miscellaneous 9002-88-4, uses and 9010-76-8, uses and miscellaneous miscellaneous 24980-58-3 24937-78-8, uses and miscellaneous 24980-58-3, uses and miscellaneous ROLE: USES (Uses) (coating with, of pellets) 614-90-4 ROLE: BIOL (Biological study) (reaction products with 2-ethyl-2-(hydroxymethyl)-1,3propanediol, as coating for fertilizers and pesticides) 77-99-6 ROLE: BIOL (Biological study) (reaction products with 2-methyl-p-phenylene isocyanate, as coating for fertilizers and pesticides) (FILE 'HOME' ENTERED AT 16:32:53 ON 24 JAN 2000) FILE 'CAPLUS, CAOLD' ENTERED AT 16:33:12 ON 24 JAN 2000 176476 S PESTICID? OR INSECTICID? OR HERBICID? OR (AGRICULTURAL 876404 S GRANUL? OR PARTICLE? 5958 S L2 AND L1 272 S COATED AND L3 5 S L4 AND THERMOSET? 14 S L4 AND (ISOCYANATE OR URETHANE OR POLYURETHANE) SINCE FILE TOTAL

=> log y

INDEX TERM:

INDEX TERM:

INDEX TERM:

INDEX TERM:

INDEX TERM:

=> d hist

L1CHEMIC

L2

L3

L4

L5

L6

COST IN U.S. DOLLARS SESSION ENTRY 84.16 84.01 FULL ESTIMATED COST TOTAL DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) SINCE FILE SESSION ENTRY -10.57-10.57CA SUBSCRIBER PRICE

STN INTERNATIONAL LOGOFF AT 16:43:38 ON 24 JAN 2000

DB Name	Query	Hit Count	Set Name
JPAB,EPAB,DWPI	L20 and urethane	20	<u>L24</u>
JPAB,EPAB,DWPI	L21 and thermoset\$	9	<u>L23</u>
JPAB,EPAB,DWPI	isocyanate and 121	6	<u>L22</u>
JPAB,EPAB,DWPI	coated and L20	324	<u>L21</u>
JPAB,EPAB,DWPI	117 and 118	4923	<u>L20</u>
JPAB,EPAB,DWPI	gl17 and 118	0	<u>L19</u>
JPAB,EPAB,DWPI	granul\$ or particle\$	636946	<u>L18</u>
JPAB,EPAB,DWPI	pesticid\$ or insecticid\$ or herbicid\$ or agrichemical\$	83712	<u>L17</u>
USPT	L14 and thermoset\$	5	<u>L16</u>
USPT	L14 and isocyanate	9	<u>L15</u>
USPT	L13 and (coated granul\$)	125	<u>L14</u>
USPT	L1 and (insecticid\$ or pesticid\$ or herbicid\$ or agrichemical\$)	768	<u>L13</u>
USPT	L11 and (urethane or isocyanate)	49	<u>L12</u>
USPT	L10 and resin	73	<u>L11</u>
USPT	L9 and thermoset\$	87	<u>L10</u>
USPT	coat\$ and L8	5641	<u>L9</u>
USPT	15 and granul\$	13343	<u>L8</u>
USPT	16 and 14	19	<u>L7</u>
USPT	15 and L1	762	<u>L6</u>
USPT	pesticid\$ or insecticid\$ or herbercid\$	28824	<u>L5</u>
USPT	L3 and L2	38	<u>L4</u>
USPT	(urethane\$ or polyurethane\$) and L1	305	<u>L3</u>
USPT	thermoset\$ and L1	63	<u>L2</u>
USPT	424/405.ccls. or 424/489.ccls. or 424/490.ccls.	2943	<u>L1</u>